

Package: placematchr (via r-universe)

May 16, 2026

Title Normalize and Match City Names to NUTS Regions

Version 0.2.4

Date 2026-03-06

Description Normalizes city names for EEA countries and matches them to NUTS 3 regions using provided crosswalks. Features include comprehensive normalization rules, cascading matching logic (Exact NUTS -> Exact LAU -> Fuzzy), and single-source data synthesis. The package implements the NUTS classification as described in the NUTS methodology (Eurostat (2021) <<https://ec.europa.eu/eurostat/web/nuts>>).

License MIT + file LICENSE

Encoding UTF-8

LazyData true

Imports dplyr, stringr, stringdist, data.table, tidyr, rlang

Suggests testthat, readxl

RoxygenNote 7.3.3

NeedsCompilation no

Author Giulian Etingin-Frati [aut, cre]

Maintainer Giulian Etingin-Frati <etingin-frati@kof.ethz.ch>

Depends R (>= 3.5.0)

Config/pak/sysreqs libicu-dev

Repository <https://swediot.r-universe.dev>

Date/Publication 2026-03-06 10:30:02 UTC

RemoteUrl <https://github.com/cran/placematchr>

RemoteRef HEAD

RemoteSha 7900f31dd19bf49ed31e3b853c66e6723dd7f50a

Contents

generate_fake_cities	2
lau_data	3
match_city	5
normalize_city	6
nuts_data	7
Index	10

generate_fake_cities *Generate Fake City Data*

Description

Generates a vector of fake city names for testing, including common variations and noise.

Usage

```
generate_fake_cities(n = 10, country = "DE")
```

Arguments

n	Integer, matching number of cities to generate.
country	"DE" or "CH".

Value

Character vector of city names.

Examples

```
# Generate 5 fake German cities
generate_fake_cities(5, country = "DE")

# Generate 3 fake Swiss cities
generate_fake_cities(3, country = "CH")
```

lau_data

Local Administrative Units (LAU) Crosswalks

Description

Datasets containing mappings from city names to LAU codes and NUTS 3 regions for various countries. The data handles string normalization and matches cities to their respective statistical regions.

Usage

lau_at

lau_be

lau_bg

lau_ch

lau_cy

lau_cz

lau_de

lau_dk

lau_ee

lau_el

lau_es

lau_fi

lau_fr

lau_hr

lau_hu

lau_ie

lau_it

lau_li

lau_lt
lau_lu
lau_lv
lau_mk
lau_mt
lau_nl
lau_no
lau_pl
lau_pt
lau_ro
lau_se
lau_si
lau_sk
lau_tr

Format

Data frames with varying columns depending on the country, typically including:

lau_id Local Administrative Unit code

lau_name Name of the Local Administrative Unit

nuts_3_id NUTS 3 region code

population Population (if available)

An object of class `data.frame` with 2093 rows and 5 columns.

An object of class `data.frame` with 571 rows and 5 columns.

An object of class `data.frame` with 265 rows and 5 columns.

An object of class `data.frame` with 2135 rows and 5 columns.

An object of class `data.frame` with 617 rows and 5 columns.

An object of class `data.frame` with 6258 rows and 5 columns.

An object of class `data.frame` with 10972 rows and 5 columns.

An object of class `data.frame` with 99 rows and 5 columns.

An object of class `data.frame` with 79 rows and 5 columns.

An object of class data.frame with 6142 rows and 5 columns.
An object of class data.frame with 8132 rows and 5 columns.
An object of class data.frame with 309 rows and 5 columns.
An object of class data.frame with 32774 rows and 5 columns.
An object of class data.frame with 556 rows and 5 columns.
An object of class data.frame with 3155 rows and 5 columns.
An object of class data.frame with 166 rows and 5 columns.
An object of class data.frame with 7900 rows and 5 columns.
An object of class data.frame with 11 rows and 5 columns.
An object of class data.frame with 60 rows and 5 columns.
An object of class data.frame with 100 rows and 5 columns.
An object of class data.frame with 43 rows and 5 columns.
An object of class data.frame with 80 rows and 5 columns.
An object of class data.frame with 68 rows and 5 columns.
An object of class data.frame with 342 rows and 5 columns.
An object of class data.frame with 378 rows and 5 columns.
An object of class data.frame with 2477 rows and 5 columns.
An object of class data.frame with 3092 rows and 5 columns.
An object of class data.frame with 3181 rows and 5 columns.
An object of class data.frame with 290 rows and 5 columns.
An object of class data.frame with 211 rows and 5 columns.
An object of class data.frame with 2927 rows and 5 columns.
An object of class data.frame with 972 rows and 5 columns.

Source

Eurostat and national statistical institutes.

match_city

Match City Names to NUTS Regions

Description

Matches a vector of city names to NUTS 3 regions using a cascading logic for any supported country.

Usage

```
match_city(x, country = "DE", fuzzy = TRUE, threshold = 0.95)
```

Arguments

x	Character vector of city names.
country	Character string of two-letter country code (e.g. "DE", "FR").
fuzzy	Logical, whether to perform fuzzy matching.
threshold	Numeric, similarity threshold for fuzzy matching (0-1).

Value

A data frame with columns: original, city_clean, nuts_3_id, lau_name, match_type, similarity.

Examples

```
# Match German cities
cities <- c("Berlin", "Munich", "Hamburg")
match_city(cities, country = "DE")

# Match with exact matching only (no fuzzy)
match_city(c("Frankfurt am Main"), country = "DE", fuzzy = FALSE)
```

normalize_city	<i>Normalize City Names</i>
----------------	-----------------------------

Description

Normalizes city names for EEA countries using comprehensive rules tailored to each language/region.

Usage

```
normalize_city(x, country = "DE")
```

Arguments

x	Character vector of city names.
country	Character string of the ISO 2-character country code (e.g. "DE", "FR", "PL").

Value

Character vector of normalized names.

Examples

```
# Normalize German city names
# Normalize German city names
normalize_city(c("M\u00FCnchen", "K\u00F6ln", "Frankfurt a.M."), country = "DE")

# Normalize Swiss city names
normalize_city(c("Z\u00FCrich", "Gen\u00E8ve", "Basel-Stadt"), country = "CH")
```

`nuts_data`*NUTS 3 Region Metadata*

Description

Metadata for NUTS 3 regions for various countries, used for hierarchical matching.

Usage`nuts_at``nuts_be``nuts_bg``nuts_ch``nuts_cy``nuts_cz``nuts_de``nuts_dk``nuts_ee``nuts_el``nuts_es``nuts_fi``nuts_fr``nuts_hr``nuts_hu``nuts_ie``nuts_it``nuts_li``nuts_lt`

nuts_lu

nuts_lv

nuts_mk

nuts_mt

nuts_nl

nuts_no

nuts_pl

nuts_pt

nuts_ro

nuts_se

nuts_si

nuts_sk

nuts_tr

Format

Data frames with columns:

nuts_3_id NUTS 3 region code

nuts_3_name Name of the NUTS 3 region

An object of class `data.frame` with 35 rows and 4 columns.

An object of class `data.frame` with 43 rows and 4 columns.

An object of class `data.frame` with 28 rows and 4 columns.

An object of class `data.frame` with 26 rows and 4 columns.

An object of class `data.frame` with 1 rows and 4 columns.

An object of class `data.frame` with 14 rows and 4 columns.

An object of class `data.frame` with 401 rows and 4 columns.

An object of class `data.frame` with 11 rows and 4 columns.

An object of class `data.frame` with 5 rows and 4 columns.

An object of class `data.frame` with 53 rows and 4 columns.

An object of class `data.frame` with 59 rows and 4 columns.

An object of class `data.frame` with 19 rows and 4 columns.

An object of class data.frame with 96 rows and 4 columns.
An object of class data.frame with 21 rows and 4 columns.
An object of class data.frame with 20 rows and 4 columns.
An object of class data.frame with 8 rows and 4 columns.
An object of class data.frame with 107 rows and 4 columns.
An object of class data.frame with 1 rows and 4 columns.
An object of class data.frame with 10 rows and 4 columns.
An object of class data.frame with 1 rows and 4 columns.
An object of class data.frame with 5 rows and 4 columns.
An object of class data.frame with 8 rows and 4 columns.
An object of class data.frame with 2 rows and 4 columns.
An object of class data.frame with 40 rows and 4 columns.
An object of class data.frame with 17 rows and 4 columns.
An object of class data.frame with 73 rows and 4 columns.
An object of class data.frame with 26 rows and 4 columns.
An object of class data.frame with 42 rows and 4 columns.
An object of class data.frame with 21 rows and 4 columns.
An object of class data.frame with 12 rows and 4 columns.
An object of class data.frame with 8 rows and 4 columns.
An object of class data.frame with 81 rows and 4 columns.

Source

Eurostat

Index

* datasets

- lau_data, 3
- nuts_data, 7

generate_fake_cities, 2

- lau_at (lau_data), 3
- lau_be (lau_data), 3
- lau_bg (lau_data), 3
- lau_ch (lau_data), 3
- lau_cy (lau_data), 3
- lau_cz (lau_data), 3
- lau_data, 3
- lau_de (lau_data), 3
- lau_dk (lau_data), 3
- lau_ee (lau_data), 3
- lau_el (lau_data), 3
- lau_es (lau_data), 3
- lau_fi (lau_data), 3
- lau_fr (lau_data), 3
- lau_hr (lau_data), 3
- lau_hu (lau_data), 3
- lau_ie (lau_data), 3
- lau_it (lau_data), 3
- lau_li (lau_data), 3
- lau_lt (lau_data), 3
- lau_lu (lau_data), 3
- lau_lv (lau_data), 3
- lau_mk (lau_data), 3
- lau_mt (lau_data), 3
- lau_nl (lau_data), 3
- lau_no (lau_data), 3
- lau_pl (lau_data), 3
- lau_pt (lau_data), 3
- lau_ro (lau_data), 3
- lau_se (lau_data), 3
- lau_si (lau_data), 3
- lau_sk (lau_data), 3
- lau_tr (lau_data), 3

match_city, 5

normalize_city, 6

- nuts_at (nuts_data), 7
- nuts_be (nuts_data), 7
- nuts_bg (nuts_data), 7
- nuts_ch (nuts_data), 7
- nuts_cy (nuts_data), 7
- nuts_cz (nuts_data), 7
- nuts_data, 7
- nuts_de (nuts_data), 7
- nuts_dk (nuts_data), 7
- nuts_ee (nuts_data), 7
- nuts_el (nuts_data), 7
- nuts_es (nuts_data), 7
- nuts_fi (nuts_data), 7
- nuts_fr (nuts_data), 7
- nuts_hr (nuts_data), 7
- nuts_hu (nuts_data), 7
- nuts_ie (nuts_data), 7
- nuts_it (nuts_data), 7
- nuts_li (nuts_data), 7
- nuts_lt (nuts_data), 7
- nuts_lu (nuts_data), 7
- nuts_lv (nuts_data), 7
- nuts_mk (nuts_data), 7
- nuts_mt (nuts_data), 7
- nuts_nl (nuts_data), 7
- nuts_no (nuts_data), 7
- nuts_pl (nuts_data), 7
- nuts_pt (nuts_data), 7
- nuts_ro (nuts_data), 7
- nuts_se (nuts_data), 7
- nuts_si (nuts_data), 7
- nuts_sk (nuts_data), 7
- nuts_tr (nuts_data), 7